

Mr. Pip Harmonics – Rules of Engagement

Harmonic Fibonacci Ratios

<i>Patterns</i>	X	A	B RANGE	C CLOSE RANGE	D (PRZ) CONFLUENCE ZONE
ABCD	NON	SWING HIGH SWING LOW	RET LOW RET HIGH	IDEAL: .618 AB RET CLOSE < .78	127 – 138 AB EXT AND 161 BC EXT
GARTELY	ANCHOR START	ANCHOR END	IDEAL: .618 XA RET CLOSE < .78 XA RET	.61 - .78 AB RET	127 – 138 AB EXT AND .78 XA RET
BUTTERFLY	ANCHOR START	ANCHOR END	IDEAL: .78 XA RET CLOSE < .88 XA RET	.38 - .50 AB RET	161 AB EXT AND 127 XA EXT
BAT	ANCHOR START	ANCHOR END	IDEAL: .50 XA RET CLOSE > .38 XA RET	.61 - .78 AB RET	.78 - .88 XA RET AND 161 AB EXT
CRAB	ANCHOR START	ANCHOR END	IDEAL: .618 XA RET CLOSE < .78 XA RET	.50 - .61 AB RET	161 XA EXTENSION

*ABOVE RATIOS APPLY FOR BOTH BULLISH AND BEARISH PATTERNS

*RET: *Retracement* *EXT: *Extension*

Mr. Pip Harmonics – Rules of Engagement

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.